



### **Copyright**

© Commonwealth of Australia 2023

This work is copyright. You may reproduce the whole or part of this work in unaltered form for your own personal use or, if you are part of an organisation, for internal use within your organisation, but only if you or your organisation do not use the reproduction for any commercial purpose and retain this copyright notice and all disclaimer notices as part of that reproduction. Apart from rights to use as permitted by the *Copyright Act 1968* or allowed by this copyright notice, all other rights are reserved and you are not allowed to reproduce the whole or any part of this work in any way (electronic or otherwise) without first being given specific written permission from the Commonwealth to do so. Requests and inquiries concerning reproduction and rights are to be sent to the TGA Copyright Officer, Therapeutic Goods Administration, PO Box 100, Woden ACT 2606 or emailed to <[tga.copyright@tga.gov.au](mailto:tga.copyright@tga.gov.au)>.

### **Confidentiality**

All submissions received will be placed on the TGA's Internet site, unless marked confidential. Any confidential material contained within your submission should be provided under a separate cover and clearly marked "IN CONFIDENCE". Reasons for a claim to confidentiality must be included in the space provided on the TGA submission form. For submission made by individuals, all personal details, other than your name, will be removed from your submission before it is published on the TGA's Internet site. In addition, a list of parties making submissions will be published. If you do not wish to be identified with your submission you must specifically request this in the space provided on the submission form.







































































- Pancholi, V., et al. (2021). Safety assessment of a highly bioavailable curcumin-galactomannoside complex (CurQfen) in healthy volunteers, with a special reference to the recent hepatotoxic reports of curcumin supplements: A 90-days prospective study. *Toxicology Reports*, 8, pp. 1255-1264.
- Park, J., et al. (2021). Therapeutic potential of EGCG, a green tea polyphenol, for treatment of coronavirus diseases. *Life*, 11(3), pp. 197.
- Percevault, S., et al. (2022). Green tea and hepatotoxicity: Two case reports. *Therapie*, 77(5), pp. 620-622.
- Rajkumari, S. & Sanatombi, K. (2017). Nutritional value, phytochemical composition, and biological activities of edible *Curcuma* species: A review. *International Journal of Food Properties*, 20(sup3), pp. S2668-S2687.
- Robinson, D. (1958). Studies in detoxication. 74. The metabolism of benzhydrol, benzophenone and *p*-hydroxybenzophenone. *Biochemical Journal*, 68(4), pp. 584.
- Senanayake, S. P. J. N. (2013). Green Tea Extract: Chemistry, antioxidant properties and food applications—A review. *Journal of Functional Foods*, 5(4), pp. 1529-1541.
- Shoba, G., et al. (1998). Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Medica*, 64(04), pp. 353-356.
- Sohal, A., et al. (2021). Turmeric-induced hepatotoxicity: Report of 2 cases. *International Medical Case Reports Journal*, pp. 849-852.
- Song, W. O. & Chun, O. K. (2008). Tea is the major source of flavan-3-ol and flavonol in the US diet. *The Journal of Nutrition*, 138(8), pp. 1543S-1547S.
- Specht, R. L. & Mountford, C. P. Botany and plant ecology. American-Australian Scientific Expedition to Arnhem Land (1948). 1958. Melbourne University Press.
- Suhail, F. K., et al. (2020). Turmeric supplement induced hepatotoxicity: A rare complication of a poorly regulated substance. *Clinical Toxicology (Philadelphia, Pa.)*, 58(3), pp. 216-217.
- Suzuki, T., et al. (2005). Estrogenic and antiandrogenic activities of 17 benzophenone derivatives used as UV stabilizers and sunscreens. *Toxicology and Applied Pharmacology*, 203(1), pp. 9-17.
- Takemoto, K., et al. (2002). Genotoxic activation of benzophenone and its two metabolites by human cytochrome P450s in SOS/umu assay. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*, 519(1-2), pp. 199-204.
- Wang, W.-Q., et al. (2018). Evaluation by the Ames assay of the mutagenicity of UV filters using benzophenone and benzophenone-1. *International Journal of Environmental Research and Public Health*, 15(9), pp. 1907.
- Xia, Q., et al. (2005). Molecular genetic and chemical assessment of *Rhizoma Curcumae* in China. *Journal of Agricultural and Food Chemistry*, 53(15), pp. 6019-6026.
- Xiang, Z., et al. (2011). Metabolomics study on quality control and discrimination of three *Curcuma* species based on gas chromatograph–mass spectrometry. *Phytochemical Analysis*, 22(5), pp. 411-418.
- Zhao, H., et al. (2013). Substituent contribution to the genotoxicity of benzophenone-type UV filters. *Ecotoxicology and Environmental Safety*, 95, pp. 241-246.

**Version history**

<b>Version</b>	<b>Description of change</b>	<b>Author</b>	<b>Effective date</b>
V1.0	Original publication	Complementary Medicines Evaluation Section	03 August 2023
V1.1	Correction to the number of listed medicines containing <i>Camellia sinensis</i> to 243, with most (234) containing extracts.	Complementary Medicines Evaluation Section	03 August 2023

**Therapeutic Goods Administration**

PO Box 100 Woden ACT 2606 Australia  
Email: [info@tga.gov.au](mailto:info@tga.gov.au) Phone: 1800 020 653 Fax: 02 6203 1605  
<https://www.tga.gov.au>

Reference/Publication D23-5201153